Pool Deals 131 Industrial Drive Grand Island, NY. 14072 1-800-768-1049

When Form Is Completed Please Fax To: 888-375-5011 For Your Free Price Quote.

Arctic Maxx Safety Cover Measuring Form

Date				
COVER TYPE	COVER COLOR	R	SPACING	Decking Type
 □ Economy Mesh (12 Year) □ Standard Mesh (20 Year) □ Commercial Grade Mesh (25 Year) □ Solid With Mesh Drain (15 Year) □ All Solid / No Drain (15 Year) 	□ Green □ □ Blue □	Blue □ Black Green	□ 5' x 5' □ 3' x 3'	☐ Concrete☐ Wood☐ Paver Stones
SOLD TO:		SHIP TO:		
Name		Name		
Address		Address		
City State	Zip	City	State	Zip
Phone #Fax	#	_ E-mail Address		
DIRECTIONS	FOR MEASU	RING NON-FO	RMFIT COV	ERS
PLEASE FILL IN RECTANGLE C ROMAN C ROMAN	GRE H LA INDICATE LEI FROM DEEP	ENTS BELOW FOR TED POOL TYPE ECIAN G C D F TOR RIGHT "BEND" TO SHALLOW END C I F		VAL C D E RUE L F
THE ABOVE POOL TYPES ARE MADE WITH 5'X5' SPAC- ING UNLESS OTHERWISE SPECIFIED	FILL IN POOL DII C D E	MENSIONS BELOW G. H. I.	SHOW STER	C RAWING TO P LOCATION SIONS AND ANY FORMATION

All gunite pools must be AB measured due to their lack of symmetry.

ADDITIONAL REQUIRED INFORMATION

Please submit labelled photos for pools with complex features! 12. Raised wall or Raised Bond Beam: Cutouts may be required if objects are within 18" of pool. Pt# to Pt# Please provide A-B dimensions to locate object. Give A-B dimensions at beginning of wall, as well as All non-removable obstacles. along wall to end of wall. Height?_____ Pt# ___to Pt#____ 13. Waterfall or Rock Formation: Grabrails: Pt# to Pt# Distance rails are set back from pool _____ Furnish points at beginning, middle, end of forma-Pt# to Pt# tion. Always use approximate 1' intervals between 2. Handrails: points. Distance rails extend into pool Pt#_____to Pt#____ 14. Varying Deck Levels: Ladders: step 1: Pt# to Pt# Ladder Cups (if cutout needed) Pt#_____to Pt#____ A-B dimensions require indicating angle of the deck from pool wall, out onto deck. Height? How far does ladder extend into pool? Pt# to Pt# step 2: Pt# to Pt# step 3: 4. Fillspout: Pt# Yes _____ No ____ Dimensions & distance from pool: 15 Wood Deck: How high if raised? Are wood deck anchor flanges required Yes No Pt# to Pt# Indicate partial wood deck areas: 5. Dive Stand: Pt#_____to Pt#____ 6. Slide Legs: Pt# to Pt# 16. Commercial Pool: (within 2 ft) Skimmer _____ Distance legs are back from pool _____ Gutter Pt#_____to Pt#____ If gutter pool, _____ 7. Dive Rocks: indicate dimension of gutter _____ Distance back from pool Give several points along rock, (left side, front side, *Covers over 2000 sq. ft. must be made in 3x3 sections. right side) Additional Requirements Pt# to Pt# 8. Grab Rocks: Distance back from pool

9. Type and width of coping: _____ and ____

10. Planter or grass area: Pt#_____to Pt#_____

Separate cover required Yes _____ No ____

Is spa wall flush with top of coping? Yes ____ No ____

If yes: To locate spillway Pt#_____to Pt#____ Give points all around spa and points at all four

11. Spa:

How high is spa?

Open Spillway:

corners of open spillway.


Pt#_____to Pt#____

Yes _____ No ____

The following pages (s) and A-B measurements are only needed for non-standard shape / freeform pools with shapes not listed on page 1 of this form. If your pool shape is shown on Page 1 please skip this step.

Overall length							to point				(longest point).			
Overall width			to point					(widest point).						
Additional cross dimensions: Pt#		to Pt#		, Pt#		to Pt# =								
Pt# _			_ to Pt#=	:										
* The	distar	nce be	tween A	and B	is									
Sho	wABi	n relat	ion to th	e pool (on ske	etch)								
* Indi	cate a	reas w	here the	e deck	is less	s than 4'	from	waterli	ine of th	e pool				
No.	A	В	No.	Α	В	No.	Α	В	No.	Α	В	No.	Α	В
1			17			33			49			65		
2			18						50			66		
3			19			_						67		
4			20						52			68		
5			21			37			53			69		
6			22			38			54			70		
7			23			39			55			71		
8			24			40			56			72		
9			25			41			57			73		
10			26			42			58			74		
11			27			43			59			75		
12			28			44			60			76		
13			29			45			61			77		
14			30			46			62			78		
15			31			47			63			79		
16			32			48			64			80		

PLEASE ANSWER ALL QUESTIONS ON BACK OF PAGE



A-B line or extensions of, cannot intersect pool;
"A" must be left of "B"; number all points in clockwise direction

A-B MEASURING INSTRUCTIONS

Necessary for all free-form pools and ovals w/ step other than center end.

- 1. a. Draw a sketch of the pool shape on the grid provided.
 - b. To represent your A-B line, mark 2 points on the deck in a straight line approximately 3'-4' from the pools edge and about two-third's (2/3) the length of the pool. "A" must always be to the left of "B" as you face the pool.
 - c. Make sure the pool is totally in front of the A-B line. This is a must because your measurements will be incorrect if this instruction is not observed.
 - d. Measure the A-B line, and on your sketch, note its length and position in reference to the pool.
- 2. a. Use chalk to mark and number points clockwise around the entire pool at approximately 3 foot intervals. Point #1 must be directly across from the center point of your A-B line. Make sure your marks are on the inside edge of the pool. Make each step corner a numbered point. Measure sharp curves and angles at 1' to 2' intervals or less. Any obstructions such as ladders, slides, rocks, waterfalls, etc. should be a numbered point. Measure these last after complete all pool points.
 - b. Obstructions away from the water's edge but within the 18" overlap area should be numbered last on the A-B form, not in succession as you measure around the pool's edge.
 - c. Make sure to include steps, ladders, waterfalls or any other non-removable obstruction on your sketch.
- 3. Record measurements from point A and B to all the points you have marked around pool perimeter.
 - a. Secure the end of your 100 ft. measuring tape to "A" on your A-B line and measure the distance to point #1 and note the distance in the "A" column on the chart provided. Continue around the pool until you have recorded all your points with an "A" measurement.
 - b. Secure the end of your 100 ft. measuring tape to "B" and repeat the step above from "B" on your A-B line.
- 4. a. Take 3-4 diagonal measurements randomly from numbered points on the pool and note in the spaces provided.

Items such as slide legs, ladders (that are not removable), etc. that are with 2' of pool will be cutouts.

Measure these items after all pool points are finished.

